

Nonabsorbable Surgical Sutures Polybutylate Coated Braided Polyester

Non-Absorbable

Provides prolonged tensile strength retention in tissue.

Braided

For easy handling and secure knot tying

Soft and Pliable

For excellent knot security.

Synthetic

Elicits only minimal tissue reaction.

Coated

With Polybutylate for smooth tie down and easy passage through tissue.

Colour

Green and white.

Range

Gauge sizes 5/0 to 5 (U.S.P)
Supplied as needled sutures

Sterilisation

Ethylene Oxide









Frequent Applications




General Surgery, Plastic and Manual
Surgery, Skin Closure, Orthopaedics,
Ophthalmic and Cardiovascular Surgeries




COATED POLYESTER SUTURE

EYELESS NEEDLED SUTURES


NEEDLE LENGTH	Needle Profile & Description	SUTURE LENGTH	Suture Size in USP			
			5-0 (1)	4-0 (1.5)	3-0(2)	2-0 (3)
 12 mm 12 mm Double Needle	3/8 Circle Round Bodied	76 cm	FN 690 (Green)			
		90 cm		FN 691 (Green)		
 16 mm	3/8 Circle Cutting	38 cm		FN 670 (Green)	FN 671 (Green)	
 17 mm 17 mm Double Needle	1/2 Circle Taper Cutting	76 cm		FN 635 (Green)	FN 636 (Green)	FN 637 (Green) FN 637 A (White)
		90 cm		FN 695 (Green)	FN 669 (Green)	FN 617 (Green) FN 617 A (White)
 20 mm 20 mm Double Needle	3/8 Circle Round Bodied	76 cm	FN 696 (Green)			
 25 mm 25 mm Double Armed	1/2 Circle Taper Cutting	90 cm				FN 687 (Green) FN 687 A (White)
		76 cm				FN 677 (Green) FN 677 A (White)
 25 mm	1/2 Circle Round Bodied	90 cm			FN 623 (Green)	
76 cm					FN 632 (Green)	
 25 mm 25 mm Double Armed	1/2 Circle Round Bodied	100 cm			FN 655 (Green)	
		76cm				FN 652 (Green)
 53 mm ▲ Double Armed 53 mm ▲	Straight Cutting	45 cm		FN 640 (Green)		

NEEDLE LENGTH	Needle Profile & Description	SUTURE LENGTH	Suture Size in USP			
			0 (3.5)	1 (4)	2 (5)	5 (7)
 45 mm HEAVY	1/2 Circle Taper Cutting	100 cm			FN 643 (Green)	
 50 mm	1/2 Circle Reverse Cutting	100 cm	FN 679 (Green)	FN 680 (Green)		
 55 mm HEAVY	1/2 Circle T.Car Point	100 cm				FN 645 (Green)




NEEDLE PROFILE


ROUND BODIED




TAPER POINT




T. CAR POINT



BLUNT



CUTTING



REVERSE CUTTING

