



# STARCRYL

Braided And Coated Polyglactin 910



## Polyglactin 910, Synthetic Absorbable Surgical Sutures Coated & Braided

### Composition

Starcryl 910 is a well-known combination of 90% Polyglycolic Acid and 10% Lactic Acid

### Braided

For easy handling and secure knot tying.

### Coated

Starcryl 910 is coated with Poly ( glycolide-co-L-lactide) and calcium stearate to ensure excellent handling and knot security.

### Synthetic

Ensures smooth passage through tissues, for minimal tissue reaction.

### Absorbable

Predictable absorption by simple hydrolytic mechanism.

### Tensile Strength

Starcryl 910 is very high initial tensile strength minimizing breakage during surgery, retention of 85% at the end of first week, 67% at the end of second week and 45% at the end of the third week of implantation.

### Colour

Suture dyed with US F.D.A. approved D&C Violet No.2 Color, for easy identification during surgical process and Undyed.

### Needle Features

- Attached with needles made from advanced grade stainless steel to ensure sharper points throughout surgical process. Needles are ribbed for easy grip and siliconized for smooth penetration,
- Needles to suture combination available for surgeons requirements.

### Range


Gauge sizes 5/0 to 2 (U.S.P)  
Supplied as needled sutures and ligatures.

### Sterilisation

Ethyene Oxide









### Frequent Applications






General Closure, Gastro-intestinal, Ob-Gyn, Orthopaedics where eventual absorption of Suture is required, Undyed form is specially for Cuticular and Plastic Surgeries.



**BRAIDED AND COATED POLYGLACTIN 910 SUTURE**










**EYELESS NEEDED SUTURES**

NEEDLE LENGTH	Needle Profile & Description	SUTURE LENGTH	Suture Size in USP				
			5-0 (1)	4-0 (1.5)	3-0 (2)	2-0 (3)	0 (3.5)
12mm 	3/8 Circle Reverse Cutting	45 cm	PL 2493	PL 2494	PL 2495		
16mm 	3/8 Circle Cutting	45 cm	PL 2442		PL 2471		
16 mm 	1/2 Circle Round Bodied	45 cm	PL 2303				
		70 cm		PL 2305			
17mm 	1/2 Circle Taper Cutting	45 cm			PL 2515		
20mm 	1/2 Circle Round Bodied	70 cm		PL 2304	PL 2437		
22mm 	3/8 Circle Cutting	45 cm			PL 2401		
22mm 	1/2 Circle Cutting	90 cm			PL 2472		
30mm 	1/2 Circle Round Bodied	70 cm				PL 2341	FN 2342
		90 cm				PL 2317	FN 2338

NEEDLE LENGTH	Needle Profile & Description	SUTURE LENGTH	Suture Size in USP			
			3-0 (2)	2-0 (3)	0 (3.5)	1 (4)
30mm 	1/2 Circle Taper Cutting	20 cm		PL 2511AA	PL 2412AA	PL 2513AA
		45 cm		PL 2511A	PL 2512A	PL 2513A
		90 cm		PL 2511	PL 23512	PL 2513
30mm 	1/2 Circle Reverse Cutting	90 cm			PL 2535	
30mm HEAVY 	1/2 Circle Round Bodied	20 cm			PL 2344	PL 2343
36 mm 	1/2 Circle Reverse Cutting OR Needle	90 cm			PL 2534	
36 mm 	1/2 Circle Taper Cutting	90 cm	PL 2516			

**BRAIDED AND COATED POLYGLACTIN 910 SUTURE**

**EYELESS NEEDED SUTURES**

NEEDLE LENGTH	Needle Profile & Description	SUTURE LENGTH	Suture Size in USP			
			3-0 (2)	2-0 (3)	0 (3.5)	1 (4)
40 mm 	1/2 Circle Reverse Cutting OR Needle	90cm				PL 2421
40 mm 	1/2 Circle Round Bodied	45 cm			PL 2346 A	
		70 cm			PL 2546	
		90 cm		PL 2345	PL 2346	
		110 cm			PL 2346 VS	
40 mm 	1/2 Circle Taper Cutting	90 cm		PL 2517	PL 2518	
		110 cm			PL 2518 VS	
40 mm 	1/2 Circle Reverse Cutting	90 cm		PL 2382	PL 2422	PL 2350
40mm HEAVY 	1/2 Circle Round Bodied	45 cm				PL 2347A
		70 cm				PL 2359
		90 cm				PL 2347
		110 cm				PL 2347 VS
40mm HEAVY 	1/2 Circle Taper Cutting	45 cm			PL 2361	PL 2362
		70 cm				PL 2363
		90 cm				PL 2364
		110 cm				PL 2364 VS
45 mm 	3/8 Circle Round Bodied	70 cm				PL 2326
50 mm HEAVY 	1/2 Circle Reverse Cutting	90 cm				PL 2438
50 mm HEAVY 	1/2 Circle Round Bodied	100 cm				PL 2448

**BRAIDED AND COATED POLYGLYCOLIC ACID SUTURE**

**PRECUT SUTURES**

SUTURE LENGTH	Suture Size in USP			
	3-0 (2)	2-0 (3)	0 (3.5)	1(4)
150 cm	PLS 2612	PLS 2613	PLS 2614	PLS 2615